

**NANUK**<sup>™</sup>  
PROFESSIONAL PROTECTIVE CASES



**NANUK**<sup>TM</sup>  
PROFESSIONAL PROTECTIVE CASES




The Inuit people of the great north call him **NANUK**.

Thriving in an unforgiving landscape, the polar bear has evolved to survive the challenges of the freezing temperatures, frigid waters and ice covered terrain of the arctic. As one of earth's most resilient predators, the great white bear is the inspiration behind our name: strong and fearless, designed to survive in the harshest conditions.

[**na·nook**]  
INUIT FOR “POLAR BEAR”





DESIGNED. ENGINEERED.  
MANUFACTURED.


## About Us

Plasticase began manufacturing plastic cases in 1984 under the name Resental Ltd. A few years later, after the company's ownership was restructured, Plasticase emerged with a clear mission: design, engineer and manufacture the highest quality injection molded plastic cases in the world.

As the company evolved, demand for an innovative line of robust waterproof cases became evident. Plasticase moved forward with a bold response: NANUK™ "The Evolution of Protection", a complete line of waterproof and impact resistant protective cases rated for military, law enforcement and professional users and trusted globally to protect mobile medical equipment, weapons and defense systems, photo and video equipment, sensitive electronics, industrial tools and equipment, and much more. With innovative features like the patented Powerclaw latch, rugged NK-7 resin and a distinctive style, NANUK™ instantly earned global recognition while capturing significant market share. NANUK™ professional protective cases are now distributed in over 50 countries worldwide.

Plasticase/NANUK and their global partners have the in-house ability to design and manufacture innovative custom solutions for clients with state-of-the-art production facilities and multidisciplinary teams including specialists in thermoplastics engineering and tooling, industrial design, mold making, graphic design and manufacturing.

Complimented by a large selection of optional accessories and an incredible degree of customizability, NANUK™ is the best choice to organize, protect and carry your equipment in complete security. Whether transporting valuable equipment around the world or simply protecting sensitive tools in the urban jungle, NANUK™ is up to the challenge.



**NANUK™** | extreme duty cases

**RUGGED. WATERPROOF.  
GUARANTEED FOR LIFE.**



NANUK™ protective cases are the result of years of testing both in the lab and on the field and offer unrivaled protection in a variety of sizes, configurations and colors, with its patented PowerClaw latching system and NK-7 resin outer shell, NANUK™ is built for nature's most unforgiving conditions.

Rugged, waterproof and guaranteed for life, all NANUK™ cases are designed to withstand the smallest tumbles to the biggest shocks and everything in between. When it needs to get there in one piece, it needs to go in a NANUK™.

## NANUK™ features

1. Powerclaw latching system
2. Waterproof IP67 rated
3. Impact Resistant NK-7 resin
4. Padlockable
5. Shoulder strap attachment
6. Stackable
7. Integrated bezel system
8. Soft grip foldable handle
9. Integrated lid stay
10. Stainless steel hardware



## NANUK™ features



### Powerclaw latching system U.S. Patent 8,297,464

The patented PowerClaw Latching System used on all NANUK™ cases is engineered to keep your case closed during the toughest of missions. The PowerClaw clamps the case tightly closed using compressive force while the integrated slide lock prevents the case from opening during transport or when dropped. The super tough nylon construction ensures your precious items remain safely inside the case no matter where the journey takes you.

### Waterproof - IP67 rated

Water and dirt are the enemies of sensitive equipment. NANUK™ cases are IP67 rated to ensure that your equipment stays dry and dust free. An IP67 rating requires the case to be watertight to a depth of 1m (3.3ft) for a period of 30 minutes and to be impervious to dust.

### Automatic pressure release valve

Changes in altitude and geographic location creates a vacuum which can effectively seal a case shut. NANUK™'s integrated auto-pressure valve equalizes this atmospheric pressure difference. Using state-of-the-art technology, the micro vent allows air to pass through while preventing water from entering.

### Seal

The seal used in all NANUK™ cases is custom designed to fit our cases. The seal is constructed of high quality EPDM to minimize material deformation and fatigue and provide a watertight seal that will last.







## Certifications

NANUK™ is tough and durable, but don't just take our word for it. NANUK™ cases were tested by an independent testing laboratory for compliance with the following standards:

**ATA Specification 300**

**Category 1 Impact**

**ASTM D-4169 DC-18 Drop - Vibration - Rainfall**

**MIL-STD-810F Immersion**

**IP67 Ingress protection**

NANUK™ cases tested were awarded certification after successfully completing the tests. Visit [nanuk.com](http://nanuk.com) to find out more.



## Impact resistant NK-7 resin

NANUK™ was designed with one objective in mind: survival. With rounded corners, thick wall construction and oversized details, NANUK™ is built to absorb the shocks without compromising the case or more importantly your contents.

Based on Plasticase's years of experience in the plastics industry, our new NK-7 resin was developed specifically for the demanding conditions that NANUK™ will be exposed to. Highly impact resistant, light, and rugged, our NK-7 resin can withstand nature's extremes.

# NANUK NANO®

The NANUK NANO® is the perfect protective case for your smaller valuable items. This lightweight impact resistant case series is sure to keep its contents safe and dry with the patented PowerClaw latching system and water resistant design (IP65\*).



**BIG PROTECTION  
IN A COMPACT SIZE**

## Includes These Features

	310	320	330
PowerClaw Latching System	•	•	•
Protective Web	•	•	•
Smart Strap	•	•	•
Water Resistance (IP65)	•	•	•
Impact Resistance	•	•	•
Attachment Points	•	•	•
Rubberized Interior	•	•	•



### 310

#### Interior dimensions

L5.2" x W3.0" x H1.1"  
L131mm x W77mm x H28mm

#### Exterior dimensions

L5.9" x W4.3" x H1.7"  
L149mm x W110mm x H43mm

#### Weight

0.6 lb | 0.3 kg



### 320

#### Interior dimensions

L5.9" x W3.3" x H1.5"  
L151mm x W85mm x H39mm

#### Exterior dimensions

L6.3" x W4.7" x H2.2"  
L161mm x W118mm x H55mm

#### Weight

0.8 lb | 0.4 kg



### 330

#### Interior dimensions

L6.7" x W3.8" x H1.9"  
L170mm x W96mm x H49mm

#### Exterior dimensions

L7.4" x W5.1" x H2.6"  
L188mm x W130mm x H65mm

#### Weight

0.8 lb | 0.4 kg



**NANUK™** | small cases

BUILT TO WITHSTAND  
**THE ELEMENTS**



## Includes These Features

	903	904	905	908
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap			•	•
TSA PowerClaw Latch Ret. Kit			•	•
Panel Mount Kits				
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer				
Top Aluminium Panel Kit				•
Bottom Aluminium Panel Kit	•	•	•	•
Top Poly. Panel Kit				•
Bottom Poly. Panel Kit	•	•	•	•
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 903



#### Interior dimensions

L7.4" × W4.9" × H3.1"  
L188mm × W124mm × H79mm

#### Exterior dimensions

L9.1" × W6.8" × H3.8"  
L231mm × W173mm × H97mm

#### Weight

1.3 lb | 0.6 kg



### 905



#### Interior dimensions

L9.4" × W7.4" × H5.5"  
L239mm × W188mm × H140mm

#### Exterior dimensions

L12.5" × W10.1" × H6.0"  
L318mm × W257mm × H152mm

#### Weight

3.3 lb | 1.5 kg



### 904



#### Interior dimensions

L8.4" × W6.0" × H3.7"  
L213mm × W152mm × H94mm

#### Exterior dimensions

L10.2" × W7.9" × H4.5"  
L259mm × W201mm × H114mm

#### Weight

1.6 lb | 0.7 kg



### 908



#### Interior dimensions

L9.5" × W7.5" × H7.5"  
L241mm × W190mm × H190mm

#### Exterior dimensions

L12.5" × W9.8" × H8.0"  
L318mm × W249mm × H203mm

#### Weight

3.6 lb | 1.36 kg

## Includes These Features

909

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



## 909



### Interior dimensions

L11.44" × W7.0" × H3.68"  
L291mm × W178mm × H93mm

### Exterior dimensions

L12.64" × W9.0" × H4.38"  
L321mm × W229mm × H111mm

### Weight

2.16 lb | 0.98 kg

**NANUK™** | medium cases

# THE CHOICE OF PROFESSIONALS

**Certifications** ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.



## Includes These Features

	910	915	918	920
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap	•	•	•	•
TSA PowerClaw Latch Ret. Kit		•	•	•
Panel Mount Kits				
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer				•
Top Aluminium Panel Kit	•		•	
Bottom Aluminium Panel Kit	•	•	•	•
Top Poly. Panel Kit	•		•	
Bottom Poly. Panel Kit	•	•	•	•
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 910



#### Interior dimensions

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

#### Exterior dimensions

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

#### Weight

3.0 lb | 1.4 kg



### 918



#### Interior dimensions

L14.9" x W9.8" x H8.6"  
L378mm x W249mm x H218mm

#### Exterior dimensions

L16.9" x W12.9" x H9.3"  
L429mm x W328mm x H236mm

#### Weight

6.4 lb | 2.9 kg



### 915



#### Interior dimensions

L13.8" x W9.3" x H6.2"  
L351mm x W236mm x H157mm

#### Exterior dimensions

L15.4" x W12.1" x H6.8"  
L391mm x W307mm x H173mm

#### Weight

4.4 lb | 2.0 kg



### 920



#### Interior dimensions

L15.0" x W10.5" x H6.2"  
L381mm x W267mm x H157mm

#### Exterior dimensions

L16.7" x W13.4" x H6.8"  
L424mm x W340mm x H173mm

#### Weight

5.1 lb | 2.3 kg



## Includes These Features

**923**

Desiccant Container	•		
Nanuk TSA Padlock	•		
Nanuk Shoulder Strap	•		
TSA PowerClaw Latch Ret. Kit	•		
Panel Mount Kits			
Cubed Foam Insert	•		
Plain Foam Insert			
Padded Divider	•		
Lid Organizer			
Top Aluminium Panel Kit	•		
Bottom Aluminium Panel Kit	•		
Top Poly. Panel Kit	•		
Bottom Poly. Panel Kit	•		
TSA Latch	•		
2-Stage Retractable Handle			
Polycarbonate Wheels			



**923**



**Interior dimensions**

L16.6" x W11.3" x H5.4"  
L422mm x W287mm x H137mm

**Exterior dimensions**

L18.6" x W14.4" x H6.3"  
L472mm x W366mm x H161mm

**Weight**

6.1 lb | 2.7 kg



**923**  
LAPTOP



**Interior dimensions**

L16.6" x W11.3" x H5.4"  
L422mm x W287mm x H137mm

**Exterior dimensions**

L18.6" x W14.4" x H6.3"  
L472mm x W366mm x H161mm

**Weight**

5.9 lbs | 2.7 kg



**923**  
WITH TSA  
LOCKS



**Interior dimensions**

L16.6" x W11.3" x H5.4"  
L422mm x W287mm x H137mm

**Exterior dimensions**

L18.6" x W14.4" x H6.3"  
L472mm x W366mm x H161mm

**Weight**

6.1 lb | 2.7 kg

**NANUK™** | large cases

EMERGENCY  
READY



## Includes These Features

	925	930	933	940
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap	•	•	•	•
TSA PowerClaw Latch Ret. Kit	•	•	•	•
Panel Mount Kits				
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer	•	•	•	
Top Aluminium Panel Kit			•	
Bottom Aluminium Panel Kit	•	•	•	•
Top Poly. Panel Kit			•	
Bottom Poly. Panel Kit	•	•	•	•
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 925



#### Interior dimensions

L17.0" × W11.8" × H6.4"  
L432mm × W300mm × H163mm

#### Exterior dimensions

L18.7" × W14.8" × H7.0"  
L475mm × W376mm × H178mm

#### Weight

6.2 lb | 2.8 kg



### 933



#### Interior dimensions

L18.0" × W13.0" × H9.5"  
L457mm × W330mm × H241mm

#### Exterior dimensions

L19.9" × W16.1" × H10.1"  
L505mm × W409mm × H257mm

#### Weight

8.0 lb | 3.6 kg



### 930



#### Interior dimensions

L18.0" × W13.0" × H6.9"  
L457mm × W330mm × H175mm

#### Exterior dimensions

L19.8" × W16.0" × H7.6"  
L503mm × W406mm × H193mm

#### Weight

7.1 lb | 3.2 kg



### 940



#### Interior dimensions

L20.0" × W14.0" × H8.0"  
L508mm × W356mm × H203mm

#### Exterior dimensions

L21.7" × W16.9" × H8.5"  
L557mm × W429mm × H216mm

#### Weight

8.4 lb | 3.8 kg

## Includes These Features

945

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits

Cubed Foam Insert



Plain Foam Insert

Padded Divider



Lid Organizer



Top Aluminium Panel Kit

Bottom Aluminium Panel Kit



Top Poly. Panel Kit

Bottom Poly. Panel Kit



TSA Latch

2-Stage Retractable Handle

Polycarbonate Wheels



## 945



### Interior dimensions

L22.0" × W17.0" × H8.2"  
L559mm × W432mm × H208mm

### Exterior dimensions

L25.1" × W19.9" × H8.8"  
L638mm × W505mm × H224mm

### Weight

10.6 lb | 4.8 kg

**NANUK™** wheeled cases

DESIGNED TO  
GO PLACES



## Includes These Features

	935	938
Desiccant Container	•	•
Nanuk TSA Padlock	•	•
Nanuk Shoulder Strap	•	
TSA PowerClaw Latch Ret. Kit	•	•
Panel Mount Kits		
Cubed Foam Insert	•	•
Plain Foam Insert		
Padded Divider	•	•
Lid Organizer	•	•
Top Aluminium Panel Kit		
Bottom Aluminium Panel Kit	•	•
Top Poly. Panel Kit		
Bottom Poly. Panel Kit	•	•
TSA Latch		
2-Stage Retractable Handle	•	•
Polycarbonate Wheels	•	•



### 935



#### Interior dimensions

L20.5" x W11.3" x H7.5"  
L521mm x W287mm x H191mm

#### Exterior dimensions

L22.0" x W14.0" x H9.0"  
L559mm x W356mm x H229mm

#### Weight

11.6 lb | 5.2 kg



### 935

3-Wine  
Bottle Case



#### Interior dimensions

L20.5" x W11.3" x H7.5"  
L521mm x W287mm x H191mm

#### Exterior dimensions

L22.0" x W14.0" x H9.0"  
L559mm x W356mm x H229mm

#### Weight

12.6 lbs | 5.72 kg



### 938



#### Interior dimensions

L21.5" x W12.5" x H11.6"  
L546mm x W318mm x H294mm

#### Exterior dimensions

L23.8" x W15.5" x H13.2"  
L605mm x W394mm x H336mm

#### Weight

14.55 lb | 6.35 kg



### 938

6-Wine  
Bottle Case



#### Interior dimensions

L21.5" x W12.5" x H11.6"  
L546mm x W318mm x H294mm

#### Exterior dimensions

L23.8" x W15.5" x H13.2"  
L605mm x W394mm x H336mm

#### Weight

17.75 lbs | 8.05 kg

## Includes These Features

	950	955	960	963
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	•	•	•	•
Panel Mount Kits				•
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer		•	•	
Top Aluminium Panel Kit	•	•	•	
Bottom Aluminium Panel Kit	•	•	•	
Top Poly. Panel Kit	•	•	•	
Bottom Poly. Panel Kit	•	•	•	
TSA Latch				
2-Stage Retractable Handle	•	•	•	•
Polycarbonate Wheels	•	•	•	•



### 950



#### Interior dimensions

L20.5" x W15.3" x H10.1"  
L521mm x W389mm x H257mm

#### Exterior dimensions

L22.8" x W18.3" x H11.7"  
L579mm x W465mm x H297mm

#### Weight

15.1 lb | 6.8 kg



### 960



#### Interior dimensions

L22.0" x W17.0" x H12.9"  
L559mm x W432mm x H328mm

#### Exterior dimensions

L25.4" x W20.0" x H14.5"  
L645mm x W508mm x H368mm

#### Weight

19.2 lb | 8.7 kg



**NEW**

### 955



#### Interior dimensions

L22.0" x W17.0" x H10.2"  
L559mm x W432mm x H259mm

#### Exterior dimensions

L25.6" x W20.0" x H11.8"  
L650mm x W508mm x H300mm

#### Weight

18.40 lb | 8.16 kg



**NEW**

### 963



#### Interior dimensions

L29.0" x W18.0" x H10.6"  
L737mm x W457mm x H269mm

#### Exterior dimensions

L32.5" x W21.0" x H12.3"  
L826mm x W533mm x H312mm

#### Weight

22.50 lb | 10.2 kg

## Includes These Features

	965	968	970	975
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	•	•	•	•
Panel Mount Kits	•	•	•	•
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit				
Top Poly. Panel Kit				
Bottom Poly. Panel Kit				
TSA Latch				
2-Stage Retractable Handle	•	•	•	•
Polycarbonate Wheels	•	•	•	•



### NEW 965

#### Interior dimensions

L29.0" × W18.0" × H14.0"  
L737mm × W457mm × H356mm

#### Exterior dimensions

L32.5" × W21.1" × H16.0"  
L826mm × W536mm × H406mm

#### Weight

25.05 lb | 11.36 kg



### NEW 970

#### Interior dimensions

L24.0" × W24.0" × H14.2"  
L610mm × W610mm × H361mm

#### Exterior dimensions

L27.5" × W27.2" × H16.0"  
L699mm × W691mm × H406mm

#### Weight

26.3 lb | 11.92 kg



### NEW 968

#### Interior dimensions

L21.5" × W21.5" × H11.8"  
L546mm × W546mm × H300mm

#### Exterior dimensions

L25.0" × W24.7" × H13.6"  
L635mm × W627mm × H345mm

#### Weight

21.5 lb | 9.76 kg



### NEW 975

#### Interior dimensions

L30.0" × W21.0" × H18.0"  
L762mm × W533mm × H457mm

#### Exterior dimensions

L33.5" × W24.3" × H19.7"  
L851mm × W617mm × H500mm

#### Weight

TBD



**NANUK™** | long cases

BUILT FOR  
THE PURSUIT

NANUK 199

## Includes These Features

	985	990	995
Desiccant Container	•	•	•
Nanuk TSA Padlock	•	•	•
Nanuk Shoulder Strap			
TSA PowerClaw Latch Ret. Kit	•	•	•
Panel Mount Kits			
Cubed Foam Insert			
Plain Foam Insert	•	•	•
Padded Divider			
Lid Organizer			
Top Aluminium Panel Kit			
Bottom Aluminium Panel Kit			
Top Poly. Panel Kit			
Bottom Poly. Panel Kit			
TSA Latch	•	•	•
2-Stage Retractable Handle	•	•	•
Polycarbonate Wheels	•	•	•



### 985



#### Interior dimensions

L36.63" × W14.5" × H6.0"  
L930mm × W368mm × H152mm

#### Exterior dimensions

L39.75" × W17.31" × H6.63"  
L1010mm × W440mm × H168mm

#### Weight

15.8 lb | 7.2 kg



### 995



#### Interior dimensions

L52.0" × W14.5" × H6.0"  
L1321 mm × W368 mm × H152 mm

#### Exterior dimensions

L55.1" × W17.3" × H6.6"  
L1399 mm × W440 mm × H168 mm

#### Weight

21.6 lb | 9.8 kg



### 990



#### Interior dimensions

L44.0" × W14.5" × H6.0"  
L1118mm × W368mm × H152mm

#### Exterior dimensions

L47.1" × W17.3" × H6.6"  
L1196 mm × W440 mm × H168 mm

#### Weight

17.8 lb | 8.1 kg

**NANUK**™ | drone cases

# CASES WITH CUSTOM FOAM INSERTS FOR POPULAR DRONES



## Includes These Features

	909	910		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit				
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider		•		
Lid Organizer				
Top Aluminium Panel Kit		•		
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit		•		
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 909

For DJI™  
Mavic Mini



#### Interior dimensions

L11.44" x W7.0" x H3.68"  
L291mm x W178mm x H93mm

#### Exterior dimensions

L12.64" x W9.0" x H4.38"  
L321mm x W229mm x H111mm

#### Weight

2.37 lb | 1.08 kg



### 910

For DJI™ Mavic  
Mini Fly More



#### Interior dimensions

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

#### Exterior dimensions

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

#### Weight

3.4 lb | 1.54 kg

## Includes These Features

	910	915		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit		•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer				
Top Aluminium Panel Kit	•			
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit	•			
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



**NEW**

**910**

For DJI™ Mavic  
Mini 2 Fly More



**Interior dimensions**

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

**Exterior dimensions**

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

**Weight**

3.32 lbs | 1.51 kg



**915**

For DJI™ Mavic  
Air 2 Fly More



**Interior dimensions**

L13.8" x W9.3" x H6.2"  
L351mm x W236mm x H157mm

**Exterior dimensions**

L15.4" x W12.1" x H6.8"  
L391mm x W307mm x H173mm

**Weight**

4.9 lb | 2.23 kg

## Includes These Features

	920	925		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer	•	•		
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 920

For DJI™  
Mavic 2



#### Interior dimensions

L15.0" x W10.5" x H6.2"  
L381mm x W267mm x H157mm

#### Exterior dimensions

L16.7" x W13.4" x H6.8"  
L424mm x W340mm x H173mm

#### Weight

5.76 lb | 2.27 kg



### 925

For DJI™ Mavic 2  
Smart Controller



#### Interior dimensions

L17.0" x W11.8" x H6.4"  
L432mm x W300mm x H163mm

#### Exterior dimensions

L18.7" x W14.8" x H7.0"  
L475mm x W376mm x H178mm

#### Weight

6.88 lb | 3.12 kg

## Includes These Features

	930	933		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer	•	•		
Top Aluminium Panel Kit		•		
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit		•		
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



**NEW**

**930**

Battery Case For  
DJI™ Matrice 200  
Series Drone



**Interior dimensions**

L18.0" x W13.0" x H6.9"  
L457mm x W330mm x H175mm

**Exterior dimensions**

L19.8" x W16.0" x H7.6"  
L503mm x W406mm x H193mm

**Weight**

8.35 lb | 3.79 kg



**933**

For DJI™  
Phantom 4 RTK



**Interior dimensions**

L18.0" x W13.0" x H9.5"  
L457mm x W330mm x H241mm

**Exterior dimensions**

L19.9" x W16.1" x H10.1"  
L505mm x W409mm x H257mm

**Weight**

9.34 lb | 4.08 kg

## Includes These Features

	935	970		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•			
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits		•		
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer	•			
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•			
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•			
TSA Latch				
2-Stage Retractable Handle	•	•		
Polycarbonate Wheels	•	•		



**NEW**

**935**

Battery Case For  
DJI™ Inspire 2



**Interior dimensions**

L20.5" × W11.3" × H7.5"  
L521mm × W287mm × H191mm

**Exterior dimensions**

L22.0" × W14.0" × H9.0"  
L559mm × W356mm × H229mm

**Weight**

12.6 lbs | 5.72 kg



**NEW**

**970**

For DJI™  
Inspire 2



**Interior dimensions**

L24.0" × W24.0" × H14.2"  
L610mm × W610mm × H361mm

**Exterior dimensions**

L27.5" × W27.2" × H16.0"  
L699mm × W691mm × H406mm

**Weight**

32.1 lbs | 14.56 kg



## Includes These Features

970

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



**NEW**

**970**

For DJI™  
Matrice M200  
Series



### Interior dimensions

L24.0" x W24.0" x H14.2"  
L610mm x W610mm x H361mm

### Exterior dimensions

L27.5" x W27.2" x H16.0"  
L699mm x W691mm x H406mm

### Weight

32.1 lbs | 14.56 kg

**NEW**

**970**

For DJI™  
Matrice M300  
RTK



### Interior dimensions

L24.0" x W24.0" x H14.2"  
L610mm x W610mm x H361mm

### Exterior dimensions

L27.5" x W27.2" x H16.0"  
L699mm x W691mm x H406mm

### Weight

31.4 lbs | 14.24 kg

## Includes These Features

995

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



**NEW**

**995**  
For DJI™ Ground  
Station RTK



**Interior dimensions**

L52.0" x W14.5" x H6.0"  
L1321mm x W368mm x H152mm

**Exterior dimensions**

L55.1" x W17.3" x H6.6"  
L1399mm x W440mm x H168mm

**Weight**

23.6 lb | 10.70 kg

NANUK™ | camera cases

# CASES WITH CUSTOM FOAM INSERTS FOR CAMERAS AND CAMERA GEAR



## Includes These Features

	918	920		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer		•		
Top Aluminium Panel Kit	•			
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit	•			
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



## 918 6-Lens Case



### Interior dimensions

L14.9" x W9.8" x H8.6"  
L378mm x W249mm x H218mm

### Exterior dimensions

L16.9" x W12.9" x H9.3"  
L429mm x W328mm x H236mm

### Weight

6.4 lb | 2.9 kg



## 920 For SONY A7R Camera



### Interior dimensions

L15.0" x W10.5" x H6.2"  
L381mm x W267mm x H157mm

### Exterior dimensions

L16.7" x W13.4" x H6.8"  
L424mm x W340mm x H173mm

### Weight

5.8 lb | 2.63 kg

## Includes These Features

	920	925		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer	•	•		
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 920 Pro Photo Kit



#### Interior dimensions

L15.0" x W10.5" x H6.2"  
L381mm x W267mm x H157mm

#### Exterior dimensions

L16.7" x W13.4" x H6.8"  
L424mm x W340mm x H173mm

#### Weight

7.99 lb | 3.6 kg



**NEW**

### 925 DSLR Camera Case



#### Interior dimensions

L17.0" x W11.8" x H6.4"  
L432mm x W300mm x H163mm

#### Exterior dimensions

L18.7" x W14.8" x H7.0"  
L475mm x W376mm x H178mm

#### Weight

7.07 lb | 3.21 kg

## Includes These Features

	930	933		
Desiccant Container	●	●		
Nanuk TSA Padlock	●	●		
Nanuk Shoulder Strap	●	●		
TSA PowerClaw Latch Ret. Kit	●	●		
Panel Mount Kits				
Cubed Foam Insert	●	●		
Plain Foam Insert				
Padded Divider	●	●		
Lid Organizer	●	●		
Top Aluminium Panel Kit		●		
Bottom Aluminium Panel Kit	●	●		
Top Poly. Panel Kit		●		
Bottom Poly. Panel Kit	●	●		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 930 Pro Photo Kit



#### Interior dimensions

L18.0" x W13.0" x H6.9"  
L457mm x W330mm x H175mm

#### Exterior dimensions

L19.8" x W16.0" x H7.6"  
L503mm x W406mm x H193mm

#### Weight

11.43 lb | 5.18 kg



### 933 Pro Photo Kit



#### Interior dimensions

L18.0" x W13.0" x H9.5"  
L457mm x W330mm x H241mm

#### Exterior dimensions

L19.9" x W16.1" x H10.1"  
L505mm x W409mm x H257mm

#### Weight

12.93 lb | 5.86 kg

## Includes These Features

935

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



**NEW**

**935**

DSLR Camera  
Case



### Interior dimensions

L20.5" x W11.3" x H7.5"  
L521mm x W287mm x H191mm

### Exterior dimensions

L22.0" x W14.0" x H9.0"  
L559mm x W356mm x H229mm

### Weight

12.99 lb | 5.89 kg



**935**

For SONY  
A7R Camera



### Interior dimensions

L20.5" x W11.3" x H7.5"  
L521mm x W287mm x H191mm

### Exterior dimensions

L22.0" x W14.0" x H9.0"  
L559mm x W356mm x H229mm

### Weight

12.99 lb | 5.89 kg

## Includes These Features

	935	938		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•			
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer	•	•		
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle	•	•		
Polycarbonate Wheels	•	•		



### 935 Pro Photo Kit



#### Interior dimensions

L20.5" x W11.3" x H7.5"  
L521mm x W287mm x H191mm

#### Exterior dimensions

L22.0" x W14.0" x H9.0"  
L559mm x W356mm x H229mm

#### Weight

16.05 lb | 7.3 kg



### NEW 938 Pro Photo Kit



#### Interior dimensions

L21.5" x W12.5" x H11.6"  
L546mm x W318mm x H294mm

#### Exterior dimensions

L23.8" x W15.5" x H13.2"  
L605mm x W394mm x H336mm

#### Weight

14.55 lb | 6.35 kg



## Includes These Features

	945	955		
Desiccant Container	●	●		
Nanuk TSA Padlock	●	●		
Nanuk Shoulder Strap	●			
TSA PowerClaw Latch Ret. Kit	●	●		
Panel Mount Kits				
Cubed Foam Insert	●	●		
Plain Foam Insert				
Padded Divider	●	●		
Lid Organizer	●	●		
Top Aluminium Panel Kit		●		
Bottom Aluminium Panel Kit	●	●		
Top Poly. Panel Kit		●		
Bottom Poly. Panel Kit	●	●		
TSA Latch				
2-Stage Retractable Handle		●		
Polycarbonate Wheels		●		



### 945 Pro Photo Kit



#### Interior dimensions

L22.0" x W17.0" x H8.2"  
L559mm x W432mm x H208mm

#### Exterior dimensions

L25.1" x W19.9" x H8.8"  
L638mm x W505mm x H224mm

#### Weight

17.52 lb | 7.95 kg



### NEW 955 Pro Photo Kit



#### Interior dimensions

L22.0" x W17.0" x H10.2"  
L559mm x W432mm x H259mm

#### Exterior dimensions

L25.6" x W20.0" x H11.8"  
L650mm x W508mm x H300mm

#### Weight

18.40 lb | 8.16 kg

## Includes These Features

### 960

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



## 960 Pro Photo Kit



### Interior dimensions

L22.0" × W17.0" × H12.9"

L559mm × W432mm × H328mm

### Exterior dimensions

L25.4" × W20.0" × H14.5"

L645mm × W508mm × H368mm

### Weight

28.96 lb | 13.14 kg

**NANUK™** | stabilizer cases

# CASES WITH CUSTOM INSERTS FOR VIDEO STABILIZERS



## Includes These Features

	923	930		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer		•		
Top Aluminium Panel Kit	•			
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit	•			
Bottom Poly. Panel Kit	•	•		
TSA Latch	•			
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 923

For DJI™  
Ronin-S



#### Interior dimensions

L16.6" x W11.3" x H5.4"  
L422mm x W287mm x H137mm

#### Exterior dimensions

L18.6" x W14.4" x H6.3"  
L472mm x W366mm x H161mm

#### Weight

6.92 lb | 3.14 kg



### 930

For DJI™  
Ronin-S | SC



#### Interior dimensions

L18.0" x W13.0" x H6.9"  
L457mm x W330mm x H175mm

#### Exterior dimensions

L19.8" x W16.0" x H7.6"  
L503mm x W406mm x H193mm

#### Weight

8.12 lb | 3.68 kg

## Includes These Features

930

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits

Cubed Foam Insert



Plain Foam Insert

Padded Divider



Lid Organizer



Top Aluminium Panel Kit

Bottom Aluminium Panel Kit



Top Poly. Panel Kit

Bottom Poly. Panel Kit



TSA Latch

2-Stage Retractable Handle

Polycarbonate Wheels



**NEW**

**930**

For DJI™  
Ronin-S2



**Interior dimensions**

L18.0" × W13.0" × H6.9"  
L457mm × W330mm × H175mm

**Exterior dimensions**

L19.8" × W16.0" × H7.6"  
L503mm × W406mm × H193mm

**Weight**

8.12 lb | 3.68 kg



**NEW**

**930**

For DJI™  
Ronin-SC2



**Interior dimensions**

L18.0" × W13.0" × H6.9"  
L457mm × W330mm × H175mm

**Exterior dimensions**

L19.8" × W16.0" × H7.6"  
L503mm × W406mm × H193mm

**Weight**

8.12 lb | 3.68 kg

## Includes These Features

### 945

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits

Cubed Foam Insert



Plain Foam Insert

Padded Divider



Lid Organizer



Top Aluminium Panel Kit

Bottom Aluminium Panel Kit



Top Poly. Panel Kit

Bottom Poly. Panel Kit



TSA Latch

2-Stage Retractable Handle

Polycarbonate Wheels



## 945

For Zhiyun  
Crane3 Lab



### Interior dimensions

L22.0" x W17.0" x H8.2"  
L559mm x W432mm x H208mm

### Exterior dimensions

L25.1" x W19.9" x H8.8"  
L638mm x W505mm x H224mm

### Weight

12.75 lb | 5.44 kg

NANUK™ | outdoor cases

# CASES FOR POPULAR OUTDOORS ACTIVITIES



## Includes These Features

	903	904		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit				
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



## 903 First Aid Cases



**Interior dimensions**  
L7.4" x W4.9" x H3.1"  
L188mm x W124mm x H79mm

**Exterior dimensions**  
L9.1" x W6.8" x H3.8"  
L231mm x W173mm x H97mm

**Weight**  
1.3 lb | 0.6 kg



## 904 First Aid Cases



**Interior dimensions**  
L8.4" x W6.0" x H3.7"  
L213mm x W152mm x H94mm

**Exterior dimensions**  
L10.2" x W7.9" x H4.5"  
L259mm x W201mm x H114mm

**Weight**  
1.6 lb | 0.7 kg



## Includes These Features

	905	908		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer				
Top Aluminium Panel Kit		•		
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit		•		
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



**NEW**

**905**

First Aid Cases



### Interior dimensions

L9.4" x W7.4" x H5.5"  
L239mm x W188mm x H140mm

### Exterior dimensions

L12.5" x W10.1" x H6.0"  
L318mm x W257mm x H152mm

### Weight

3.3 lb | 1.5 kg



**NEW**

**908**

First Aid Cases



### Interior dimensions

L9.5" x W7.5" x H7.5"  
L241mm x W190mm x H190mm

### Exterior dimensions

L12.5" x W9.8" x H8.0"  
L318mm x W249mm x H203mm

### Weight

3.6 lb | 1.36 kg

## Includes These Features

	909	910		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit				
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider		•		
Lid Organizer				
Top Aluminium Panel Kit		•		
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit		•		
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



**NEW**

**909**

First Aid Cases



**Interior dimensions**

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

**Exterior dimensions**

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

**Weight**

2.16 lb | 0.98 kg



**NEW**

**910**

First Aid Cases



**Interior dimensions**

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

**Exterior dimensions**

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

**Weight**

3.0 lb | 1.4 kg

## Includes These Features

	915	920		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer		•		
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



**NEW**

**915**

First Aid Cases



### Interior dimensions

L13.8" x W9.3" x H6.2"  
L351mm x W236mm x H157mm

### Exterior dimensions

L15.4" x W12.1" x H6.8"  
L391mm x W307mm x H173mm

### Weight

4.4 lb | 2.0 kg



**NEW**

**920**

First Aid Cases



### Interior dimensions

L15.0" x W10.5" x H6.2"  
L381mm x W267mm x H157mm

### Exterior dimensions

L16.7" x W13.4" x H6.8"  
L424mm x W340mm x H173mm

### Weight

5.1 lb | 2.3 kg

## Includes These Features

935

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits

Cubed Foam Insert



Plain Foam Insert

Padded Divider



Lid Organizer



Top Aluminium Panel Kit

Bottom Aluminium Panel Kit



Top Poly. Panel Kit

Bottom Poly. Panel Kit



TSA Latch

2-Stage Retractable Handle



Polycarbonate Wheels



**NEW**

**935**

First Aid Cases



### Interior dimensions

L20.5" x W11.3" x H7.5"

L521mm x W287mm x H191mm

### Exterior dimensions

L22.0" x W14.0" x H9.0"

L559mm x W356mm x H229mm

### Weight

11.6 lb | 5.2 kg

## Includes These Features

	909	915		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit		•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider		•		
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit				
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 909 8-Knife Case



**Interior dimensions**  
L11.44" x W7.0" x H3.68"  
L291mm x W178mm x H93mm

**Exterior dimensions**  
L12.64" x W9.0" x H4.38"  
L321mm x W229mm x H111mm

**Weight**  
2.6 lb | 1.18 kg



### 915 Kayak Case



**Interior dimensions**  
L13.8" x W9.3" x H6.2"  
L351mm x W236mm x H157mm

**Exterior dimensions**  
L15.4" x W12.1" x H6.8"  
L391mm x W307mm x H173mm

**Weight**  
4.4 lb | 2.0 kg

**NANUK™** | firearms cases

# THE BEST GUN CASES FOR RIFLES AND PISTOLS



## Includes These Features

	905	908
Desiccant Container	●	●
Nanuk TSA Padlock	●	●
Nanuk Shoulder Strap	●	●
TSA PowerClaw Latch Ret. Kit	●	●
Panel Mount Kits		
Cubed Foam Insert	●	●
Plain Foam Insert		
Padded Divider	●	●
Lid Organizer		
Top Aluminium Panel Kit		●
Bottom Aluminium Panel Kit	●	●
Top Poly. Panel Kit		●
Bottom Poly. Panel Kit	●	●
TSA Latch		
2-Stage Retractable Handle		
Polycarbonate Wheels		



**NEW**

### 905 Waterproof Ammo Case



#### Interior dimensions

L9.4" x W7.4" x H5.5"  
L239mm x W188mm x H140mm

#### Exterior dimensions

L12.5" x W10.1" x H6.0"  
L318mm x W257mm x H152mm

#### Weight

3.3 lb | 1.5 kg



**NEW**

### 908 Waterproof Ammo Case



#### Interior dimensions

L9.5" x W7.5" x H7.5"  
L241mm x W190mm x H190mm

#### Exterior dimensions

L12.5" x W9.8" x H8.0"  
L318mm x W249mm x H203mm

#### Weight

3.6 lb | 1.36 kg

## Includes These Features

909

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



**909**  
Glock



**Interior dimensions**

L11.44" x W7.0" x H3.68"  
L291mm x W178mm x H93mm

**Exterior dimensions**

L12.64" x W9.0" x H4.38"  
L321mm x W229mm x H111mm

**Weight**

2.16 lb | 0.98 kg



**909**  
Classic



**Interior dimensions**

L11.44" x W7.0" x H3.68"  
L291mm x W178mm x H93mm

**Exterior dimensions**

L12.64" x W9.0" x H4.38"  
L321mm x W229mm x H111mm

**Weight**

2.16 lb | 0.98 kg



## Includes These Features

### 910

Desiccant Container



Nanuk TSA Padlock



Nanuk Shoulder Strap



TSA PowerClaw Latch Ret. Kit



Panel Mount Kits



Cubed Foam Insert



Plain Foam Insert



Padded Divider



Lid Organizer



Top Aluminium Panel Kit



Bottom Aluminium Panel Kit



Top Poly. Panel Kit



Bottom Poly. Panel Kit



TSA Latch



2-Stage Retractable Handle



Polycarbonate Wheels



### 910 2UP Glock



#### Interior dimensions

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

#### Exterior dimensions

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

#### Weight

3.0 lb | 1.4 kg



### 910 2UP Classic



#### Interior dimensions

L13.2" x W9.2" x H4.1"  
L336mm x W234mm x H104mm

#### Exterior dimensions

L14.3" x W11.1" x H4.7"  
L363mm x W282mm x H120mm

#### Weight

3.0 lb | 1.4 kg

## Includes These Features

	918	925		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•	•		
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer		•		
Top Aluminium Panel Kit	•			
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit	•			
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



### 918 3UP Revolver



**Interior dimensions**  
L14.9" x W9.8" x H8.6"  
L378mm x W249mm x H218mm

**Exterior dimensions**  
L16.9" x W12.9" x H9.3"  
L429mm x W328mm x H236mm

**Weight**  
7.2 lb | 3.27 kg



### 925 4UP Revolver



**Interior dimensions**  
L17.0" x W11.8" x H6.4"  
L432mm x W300mm x H163mm

**Exterior dimensions**  
L18.7" x W14.8" x H7.0"  
L475mm x W376mm x H178mm

**Weight**  
6.2 lb | 2.8 kg

## Includes These Features

	935	950		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap	•			
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits				
Cubed Foam Insert	•	•		
Plain Foam Insert				
Padded Divider	•	•		
Lid Organizer	•			
Top Aluminium Panel Kit		•		
Bottom Aluminium Panel Kit	•	•		
Top Poly. Panel Kit		•		
Bottom Poly. Panel Kit	•	•		
TSA Latch				
2-Stage Retractable Handle	•	•		
Polycarbonate Wheels	•	•		



### 935 6UP



#### Interior dimensions

L20.5" x W11.3" x H7.5"  
L521mm x W287mm x H191mm

#### Exterior dimensions

L22.0" x W14.0" x H9.0"  
L559mm x W356mm x H229mm

#### Weight

11.6 lb | 5.2 kg



**NEW**

### 950 15UP Pistol Case



#### Interior dimensions

L20.5" x W15.3" x H10.1"  
L521mm x W389mm x H257mm

#### Exterior dimensions

L22.8" x W18.3" x H11.7"  
L579mm x W465mm x H297mm

#### Weight

17.55 lb | 7.96 kg

## Includes These Features

	968	985		
Desiccant Container	•	•		
Nanuk TSA Padlock	•	•		
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	•	•		
Panel Mount Kits	•			
Cubed Foam Insert	•			
Plain Foam Insert		•		
Padded Divider	•			
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit				
Top Poly. Panel Kit				
Bottom Poly. Panel Kit				
TSA Latch		•		
2-Stage Retractable Handle	•	•		
Polycarbonate Wheels	•	•		



**NEW**  
**968**  
20UP Pistol  
Case



**Interior dimensions**  
L21.5" x W21.5" x H11.8"  
L546mm x W546mm x H300mm

**Exterior dimensions**  
L25.0" x W24.7" x H13.6"  
L635mm x W627mm x H345mm

**Weight**  
25.75 lb | 11.7 kg



**985**  
AR15



**Interior dimensions**  
L36.63" x W14.5" x H6.0"  
L930mm x W368mm x H152mm

**Exterior dimensions**  
L39.75" x W17.31" x H6.63"  
L1010mm x W440mm x H168mm

**Weight**  
18.04 lb | 8.11 kg

## Includes These Features

	985	990		
Desiccant Container	●	●		
Nanuk TSA Padlock	●	●		
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	●	●		
Panel Mount Kits				
Cubed Foam Insert				
Plain Foam Insert	●	●		
Padded Divider				
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit				
Top Poly. Panel Kit				
Bottom Poly. Panel Kit				
TSA Latch	●	●		
2-Stage Retractable Handle	●	●		
Polycarbonate Wheels	●	●		



### 985 TAKEDOWN



#### Interior dimensions

L36.63" x W14.5" x H6.0"  
L930mm x W368mm x H152mm

#### Exterior dimensions

L39.75" x W17.31" x H6.63"  
L1010mm x W440mm x H168mm

#### Weight

17.97 lb | 8.15 kg



### 990 AR15



#### Interior dimensions

L44.0" x W14.5" x H6.0"  
L1118mm x W368mm x H152mm

#### Exterior dimensions

L47.1" x W17.3" x H6.6"  
L1196 mm x W440 mm x H168 mm

#### Weight

17.8 lb | 8.1 kg



# CASE ACCESSORIES



## Cubed foam

Made of high quality polyurethane foam, the multi-layered set of customizable inserts includes a pre-scored removable layer. This layer consists of foam squares that can be removed in various configurations to accommodate the contents of the case. This solution is ideal if you are seeking a quick and easy way to protect and organize your items.



## Desiccant containers

Nanuk Reusable Desiccating Containers protect all types of items from deterioration, rust, corrosion, mold, mildew, and other damages caused by moisture or high humidity. Simply place a Desiccating Container together with the item that is to be protected in a tightly closed or sealed moisture resistant container. Desiccating Container will rapidly and actively remove moisture and maintain dryness of the surrounding air to protect against moisture damage. It will absorb up to 34% of its own weight in water vapor.



## Shoulder strap

Our neoprene shoulder strap incorporates Aircell™ comfort technology to reduce fatigue when transporting your case. The shoulder strap can easily be attached to most NANUK™ cases without any additional hardware.

**\*Compatible with NANUK™ 905 – 945 cases.**



## TSA PowerClaw latch retrofit kit

We found a way to make our patented PowerClaw latches even better! They are now available with an integrated TSA accepted key lock. The easy to install retrofit kit can be installed on many\* NANUK cases and adds another layer of security to your case. Each lock has a special code TSA001 to TSA003, which is used by the TSA, CATSA and other security agencies to know which secure tool to use to open the lock. TSA accepted latches are the perfect accessory for storing, securing and protecting valuable items at home, on the job site and in your vehicle.

\*Compatible with the following NANUK cases:  
908 | 918 | 920 | 925 | 933 | 935 | 940 | 945 | 950 | 960



## Padded dividers

If you require compartmentalized protective organization of your components or equipment, our padded dividers are the right choice. Easily tailored to your needs with repositionable tongue and groove fasteners, our padded dividers are designed to easily organize and protect your equipment.

\*Available for NANUK™ 905 – 960 cases.



## Lid Organizer

The NANUK Lid Organizer is the ideal organization and convenience accessory to add to your case. The molded interior is designed to help keep your hardware, power cords and accessories entirely organized and in-view. The lid organizer includes a set of mounting screws for easy, stress-free installation. Features include three zippered and anti-tear compartments of various sizes for lots of gear storage.





## TSA padlock

TSA padlocks offer the security of a padlock but can easily be opened and inspected by airport security and then locked again. A visual indicator lets you know when the case has been opened with a TSA key.

\*Compatible with NANUK™ 903 – 995 cases.



## Waterproof panel kit Aluminium/Lexan

A panel kit can easily be added to most of our NANUK™ cases thanks to an integrated panel mount system.

Included in our panel kit is a contoured panel with mounting screws and an adhesive backed die-cut gasket. A lid mounted panel kit is available for the 908, 909, 910, 918, 923, 933, 935, 950 and 960 cases. The lid mounted panel kit does not contain a gasket.

\*Available for NANUK™ 903 – 960 cases.

## NANUK™ | services

NANUK™ has the in-house ability to develop a project from its initial idea, all the way to a market-ready finished product. Whether it involves printing, custom interiors, or OEM integration, NANUK™ can provide a turnkey solution that is on budget and on time. Make us part of your winning team.

Contact us today and we will show you how we can turn an idea into a success story.



CUSTOMIZE  
YOUR CASE

## Custom foam interiors

If your application requires a customized interior solution, specifically adapted to the contents of your case, a custom foam interior is the way to go. Let our experienced team of case designers help you optimize the layout of your components to ensure the utmost protection of your products and equipment. We will also ensure that the correct type of foam is used for your application whether it be polyurethane, polyethylene, or EVA.



# Custom printing

What better way to make your mark than to have your company's logo or product branding printed in color on our cases? Simply send us your artwork and our experienced graphic designers will work with you to convey your message in the most effective and unique way.



# Custom integrated panels

Not just a case: our case designers can help you incorporate your electronic instruments into NANUK™. With our integrated panel system you can take full advantage of our OEM housing solution. Simply provide us with your equipment specifications and we will develop an innovative portable unit tailored specifically to your needs.



## Custom colors

NANUK™ protective cases are available in up to 10 colors. Color options range from emergency orange to olive drab allowing you to blend in or stand out, whatever the task entails. If your application requires a custom color to match your logo or brand, our design team can develop the exact color you need based on a color swatch or sample. We know how important it is for your brand to stand out. A NANUK™ case in a custom color may be the perfect solution.

\*Minimum quantities required.



## OEM integration

Need to add cooling ports or water resistant electrical connectors to the outside of your case? Plasticase's team of designers have the creativity and experience to develop innovative solutions for your mobile workstation requirements. We will analyze your needs and provide expert advice starting from initial design concepts through to production and final assembly.





**plasticase**  
www.plasticase.com

**Plasticase inc.**

1059 Boulevard des Entreprises Ouest  
Terrebonne, Québec, Canada J6Y 1V2

T. 450 628 1006 | 1.800.783.6883

F. 450 628 7801 | 1.888.783.6883

E. info@plasticase.com



**NANUK EU B.V.**  
NANUK EUROPE

Burg.J.G.Legroweg 96  
9761TD, Elde  
Netherlands

T. +31 (0) 503 128 694

E. info@nanukcase.eu

**GEMSCO**<sup>®</sup>

Medical Training & Rescue Equipment

www.gemscos.com

✉ ventas@gemscos.com

**¡SIGUENOS!**



**(33) 3615-6795**  
**(33) 3615-0058**



nanuk.com